

IN THE CLAIMS

1. (Currently Amended) A method for processing information in a management application, the method comprising the steps of:

receiving load information from a plurality of store processes, the load information indicating a relative processing load for respective store processes in the plurality of store processes;

determining store process availability of the plurality of store processes based on the received load information, which includes:

identifying a non-available store condition in which load information for all store processes of the plurality of store processes is not within an acceptable threshold load factor range;

receiving a store assignment request from an agent that has an agent transaction to perform with a store process; and

assigning a store process of the plurality of store processes for the agent to use to perform the agent transaction based on the determined store process availability, whereby:

during the non-available store condition, in response to receiving a store assignment request from ~~an~~the agent, maintaining an agent wait table containing ~~an~~agent entries identifying store assignment requests associated with ~~the agents,~~each agent entry in the agent wait table identifying corresponding wait times for agents that have supplied store assignment requests for processing an agent transaction with one of the plurality of the store processes, which allows for:

identifying when an agent entry in the agent wait table has received no store assignment requests for a predetermined agent timeout period and in response, identifying that agent corresponding with the ~~the agent entry associated with that agent in the agent wait table as a non-responding agent in the agent wait table,~~ which includes, for each agent with a corresponding agent entry in the agent wait table:

-3-

providing an agent wait threshold entry in the agent wait table, the agent wait threshold entry providing an indication of a wait threshold time specific to the agent.

2. (Previously Presented) The method of claim 1 wherein determining store process availability of the plurality of store processes based on the received load information comprises:

for each store process of the plurality of store processes:

- i) if the load information for that store process is within an acceptable threshold load factor range, identifying that store process as an available store process within the plurality of store processes; and
- ii) if the load information for that store process is not within the acceptable threshold load factor range, identifying that store process as an unavailable store process within the plurality of store processes.

3. (Canceled)

4. (Currently Amended) The method of claim ~~3~~1 wherein maintaining the agent wait table comprises:

if a wait time for an agent identified in an agent entry in the agent wait table exceeds an agent wait threshold, identifying that agent entry in the agent wait table as a starving agent entry.

5. (Previously Presented) The method of claim 4 wherein assigning a store process of the plurality of store processes for the agent to use to perform the transaction based on the determined store process availability comprises:

if there is at least one starving agent entry identified in the agent wait table, and if the store assignment request is received from an agent associated

-4-

with a starving agent entry, and if there is at least one store process of the plurality of store processes that is identified as an available store process, then:

i) assigning the available store process of the plurality of store processes that has the most favorable load information as a selected store process for use in processing the agent transaction for the agent identified in the starving agent entry in the agent wait table; and

ii) forwarding a store assignment response identifying the selected store process to the agent providing the store assignment request corresponding to the starving agent entry in the agent wait table; and

iii) removing the starving agent entry from the agent wait table.

6. (Original) The method of claim 5 wherein assigning a store process of the plurality of store processes for the agent to use to perform the transaction based on the determined store process availability comprises:

if there is at least one starving agent entry identified in the agent wait table and the store assignment request is received from an agent that is not associated with a starving agent entry, then:

i) updating the agent entry associated with the agent that provided the store assignment request in the agent wait table to indicate receipt of the store assignment request; and

ii) skipping assignment of an available store process to the agent that provided the store assignment request in order to wait for receipt of a store assignment request from an agent associated with a starving agent entry in the agent wait table.

7. (Canceled)

8. (Original) The method of claim 2 wherein assigning a store process of the plurality of store processes for the agent to use to perform the transaction based on the determined store process availability comprises:

determining if there is at least one store process of the plurality of store processes that is identified as an available store process, and if so:

- i) assigning a store process of the plurality of store processes that has the most favorable load information as a selected store process for use in processing the agent transaction for the agent; and
- ii) forwarding a store assignment response identifying the selected store process to the agent providing the store assignment request.

9. (Original) The method of claim 1 comprising:

repeating receiving load information, determining store process availability, receiving a store assignment request from an agent and assigning a store process such that, over time, assignment of store processes to handle processing of agent transactions is load balanced across the plurality of store processes based on the load information from the store processes.

10. (Original) The method of claim 9 wherein assigning a store process of the plurality of store processes for the agent to use to perform the agent transaction based on the determined store process availability comprises:

after assignment of the store process for the agent to use, establishing a recently assigned agent condition associated with that store process;

on a successive iteration of assigning a store process, if the recently assigned agent condition associated with store process is still established, selecting a store process for processing the agent transaction other than the store process to which the recently assigned agent condition applies; and

clearing the recently assigned agent condition after a predetermined agent assignment interval has elapsed.

11. (Original) The method of claim 10 wherein:

the load information received from the plurality of store process includes a current collective transaction weight of all currently assigned transactions for each store process; and

the store assignment request received from the agent has an associated transaction weight of the agent transaction to be performed with a store process;

and wherein assigning a store process of the plurality of store processes for the agent to use to perform the agent transaction comprises:

for each available store process, calculating a new collective transaction weight as a sum of the current collective transaction weight and the transaction weight of the agent transaction to be performed with a store process;

determining if there is at least one store process of the plurality of store processes that has a new collective transaction weight that is within an acceptable collective transaction weight, and if so:

- i) assigning a store process of the plurality of store processes that has the new collective transaction weight that is within an acceptable collective transaction weight as a selected store process for use in processing the agent transaction for the agent; and
- ii) forwarding a store assignment response identifying the selected store process to the agent providing the store assignment request.

12. (Original) The method of claim 9 wherein:

the management application is a storage area network management application;

the store assignment requests are received from agent processes operating on host computer systems in the storage area network that collect management data on behalf of managed entities associated with the agent processes, the agent processes transferring the management data within agent transactions to store processes to which they are assigned; and

the plurality of store processes operate to process the agent transactions to store the management data into a management database on behalf of the plurality of agent processes.

13. (Canceled)

14. (Canceled)

15. (Canceled)

16. (Currently Amended) A computer system comprising:

- a memory;

- a processor;

- a communications interface;

- an interconnection mechanism coupling the memory, the processor and the communications interface;

wherein the memory is encoded with a load manager application that when performed on the processor, provides a load manager process for processing information in a management application, the load manager process causing the computer system to perform the operations of:

- receiving, via the communications interface into the memory, load information from a plurality of store processes, the load information indicating a relative processing load for respective store processes in the plurality of store processes;

- determining store process availability of the plurality of store processes based on the received load information, which includes:

- identifying a non-available store condition in which load information for all store processes of the plurality of store processes is not within an acceptable threshold load factor range;

receiving a store assignment request from an agent that has an agent transaction to perform with a store process; and

assigning a store process of the plurality of store processes for the agent to use to perform the agent transaction based on the determined store process availability, whereby:

during the non-available store condition, in response to receiving a store assignment request from ~~an~~the agent, maintaining an agent wait table containing ~~an~~-agent entries identifying store assignment requests associated with ~~the~~-agents,each agent entry in the agent wait table identifying corresponding wait times for agents that have supplied store assignment requests for processing an agent transaction with one of the plurality of the store processes, which allows for:

identifying when an agent entry in the agent wait table has received no store assignment requests for a predetermined agent timeout period and in response, identifying that agent corresponding with the agent entry as a non-responding agent ~~identifying when an agent entry in the agent wait table has received no store assignment requests for a predetermined agent timeout period and in response, identifying the agent entry associated with that agent in the agent wait table as a non-responding agent, which includes, for each agent with a corresponding agent entry in the agent wait table: providing an agent wait threshold entry in the agent wait table, the agent wait threshold entry providing an indication of a wait threshold time specific to the agent.~~

17. (Previously Presented) The computer system of claim 16 wherein when the load manager process causes the computer system to perform the operation of determining store process availability of the plurality of store processes based on

the received load information, the load manager process causes the computer system to perform the operations of:

for each store process of the plurality of store processes:

i) if the load information for that store process is within an acceptable threshold load factor range, identifying that store process as an available store process within the plurality of store processes; and

ii) if the load information for that store process is not within the acceptable threshold load factor range, identifying that store process as an unavailable store process within the plurality of store processes.

18. (Canceled)

19. (Currently Amended) The computer system of claim ~~48-16~~ wherein when the load manager process causes the computer system to perform the operation of maintaining the agent wait table, the load manager process causes the computer system to perform the operation of:

if a wait time for an agent identified in an agent entry in the agent wait table exceeds an agent wait threshold, identifying that agent entry in the agent wait table as a starving agent entry.

20. (Previously Presented) The computer system of claim 19 wherein when the load manager process causes the computer system to perform the operation of assigning a store process of the plurality of store processes for the agent to use to perform the transaction based on the determined store process availability, the load manager process causes the computer system to perform the operations of:

determining if there is at least one starving agent entry identified in the agent wait table, and if the store assignment request is received from an agent associated with a starving agent entry, and if there is at least one store process of the plurality of store processes that is identified as an available store process, then:

-10-

i) assigning the available store process of the plurality of store processes that has the most favorable load information as a selected store process for use in processing the agent transaction for the agent identified in the starving agent entry in the agent wait table; and

ii) forwarding a store assignment response identifying the selected store process to the agent providing the store assignment request corresponding to the starving agent entry in the agent wait table; and

iii) removing the starving agent entry from the agent wait table.

21. (Original) The computer system of claim 20 wherein when the load manager process causes the computer system to perform the operation of assigning a store process of the plurality of store processes for the agent to use to perform the transaction based on the determined store process availability, the load manager process causes the computer system to perform the operations of:

if there is at least one starving agent entry identified in the agent wait table and the store assignment request is received from an agent that is not associated with a starving agent entry, then:

i) updating the agent entry associated with the agent that provided the store assignment request in the agent wait table to indicate receipt of the store assignment request; and

ii) skipping assignment of an available store process to the agent that provided the store assignment request in order to wait for receipt of a store assignment request from an agent associated with a starving agent entry in the agent wait table.

22. (Canceled)

23. (Original) The computer system of claim 17 wherein when the load manager process causes the computer system to perform the operation of assigning a store process of the plurality of store processes for the agent to use to perform the transaction based on the determined store process availability, the load manager process causes the computer system to perform the operation of:

determining if there is at least one store process of the plurality of store processes that is identified as an available store process, and if so:

- i) assigning a store process of the plurality of store processes that has the most favorable load information as a selected store process for use in processing the agent transaction for the agent; and
- ii) forwarding a store assignment response identifying the selected store process to the agent providing the store assignment request.

24. (Original) The computer system of claim 16 comprising:

repeating receiving load information, determining store process availability, receiving a store assignment request from an agent and assigning a store process such that, over time, assignment of store processes to handle processing of agent transactions is load balanced across the plurality of store processes based on the load information from the store processes.

25. (Original) The computer system of claim 24 wherein assigning a store process of the plurality of store processes for the agent to use to perform the agent transaction based on the determined store process availability, the load manager process causes the computer system to perform the operations of:

after assignment of the store process for the agent to use, establishing a recently assigned agent condition associated with that store process;

on a successive iteration of assigning a store process, if the recently assigned agent condition associated with store process is still established, selecting a store process for processing the agent transaction other than the store process to which the recently assigned agent condition applies; and

clearing the recently assigned agent condition after a predetermined agent assignment interval has elapsed.

26. (Original) The computer system of claim 25 wherein:

the load information received from the plurality of store process includes a current collective transaction weight of all currently assigned transactions for each store process; and

the store assignment request received from the agent has an associated transaction weight of the agent transaction to be performed with a store process;

and wherein when the load manager process causes the computer system to perform the operation of assigning a store process of the plurality of store processes for the agent to use to perform the agent transaction, the load manager process causes the computer system to perform the operations of:

for each available store process, calculating a new collective transaction weight as a sum of the current collective transaction weight and the transaction weight of the agent transaction to be performed with a store process;

determining if there is at least one store process of the plurality of store processes that has a new collective transaction weight that is within an acceptable collective transaction weight, and if so:

- i) assigning a store process of the plurality of store processes that has the new collective transaction weight that is within an acceptable collective transaction weight as a selected store process for use in processing the agent transaction for the agent; and
- ii) forwarding a store assignment response identifying the selected store process to the agent providing the store assignment request.

27. (Original) The computer system of claim 24 wherein:

the management application is a storage area network management application;

the store assignment requests are received from agent processes operating on host computer systems in the storage area network that collect management data on behalf of managed entities associated with the agent processes, the agent processes transferring the management data within agent transactions to store processes to which they are assigned; and

the plurality of store processes operate to process the agent transactions to store the management data into a management database on behalf of the plurality of agent processes.

28. (Canceled)

29. (Canceled)

30. (Canceled)

31. (Currently Amended) A computer system comprising:

a memory;

a processor;

a communications interface;

an interconnection mechanism coupling the memory, the processor and the communications interface;

wherein the memory is encoded with a load manager application that when performed on the processor, provides a load manager process for processing information in a management application, the computer system including:

means for receiving, via the communications interface into the memory, load information from a plurality of store processes, the load information indicating a relative processing load for respective store processes in the plurality of store processes;

-14-

means for determining, via the processor, store process availability of the plurality of store processes based on the received load information, which includes:

identifying a non-available store condition in which load information for all store processes of the plurality of store processes is not within an acceptable threshold load factor;

means for receiving, via the communications interface into the memory, a store assignment request from an agent that has an agent transaction to perform with a store process; and

means for assigning, via the processor, a store process of the plurality of store processes for the agent to use to perform the agent transaction based on the determined store process availability, whereby:

during the non-available store condition, in response to receiving a store assignment request from ~~an~~the agent, maintaining an agent wait table containing ~~an~~ agent entries identifying store assignment requests associated with ~~the~~ agents, each agent entry in the agent wait table identifying corresponding wait times for agents that have supplied store assignment requests for processing an agent transaction with one of the plurality of the store processes, which allows for:

identifying when an agent entry in the agent wait table has received no store assignment requests for a predetermined agent timeout period and in response, identifying that agent corresponding with the agent entry as a non-responding agent ~~identifying when an agent entry in the agent wait table has received no store assignment requests for a predetermined agent timeout period and in response, identifying the agent entry associated with that agent in the agent wait table as a non-responding agent, which includes, for each agent with a corresponding agent entry in the agent~~

wait table: providing an agent wait threshold entry in the agent wait table, the agent wait threshold entry providing an indication of a wait threshold time specific to the agent.

32. (Canceled)

33. (Currently Amended) A computer program product having a computer-readable medium including computer program logic encoded thereon that, when executed on a computer system provides a method for processing information in a management application by causing the computer system to perform the operations of:

- receiving load information from a plurality of store processes, the load information indicating a relative processing load for respective store processes in the plurality of store processes;

- determining store process availability of the plurality of store processes based on the received load information, which includes:

- identifying a non-available store condition in which load information for all store processes of the plurality of store processes is not within an acceptable threshold load factor;

- receiving a store assignment request from an agent that has an agent transaction to perform with a store process; and

- assigning a store process of the plurality of store processes for the agent to use to perform the agent transaction based on the determined store process availability, whereby:

- during the non-available store condition, in response to receiving a store assignment request from ~~an~~the agent, maintaining an agent wait table containing ~~an~~-agent entries identifying store assignment requests associated with ~~the~~-agents, each agent entry in the agent wait table identifying corresponding wait times for agents that have supplied

store assignment requests for processing an agent transaction with one of the plurality of the store processes, which allows for:

identifying when an agent entry in the agent wait table
has received no store assignment requests for a
predetermined agent timeout period and in response,
identifying that agent corresponding with the agent entry as
a non-responding agent identifying when an agent entry in
the agent wait table
has received no store assignment requests for a
predetermined agent timeout period and in response;
identifying the agent entry associated with that agent in the
agent wait table as a non-responding agent, which includes,
for each agent with a corresponding agent entry in the agent
wait table: providing an agent wait threshold entry in the
agent wait table, the agent wait threshold entry providing an
indication of a wait threshold time specific to the agent.

34. (Canceled)

35. (Currently Amended) The method of claim 31, wherein identifying corresponding wait times for agents that have supplied store assignment requests for processing an agent transaction with one of the plurality of the store processes comprises:

for each agent with a corresponding agent entry in the agent wait table:

providing an agent wait threshold entry in the agent wait table, the agent wait threshold entry providing an indication of a wait threshold time specific to the agent; and

providing an elapsed request time entry in the agent wait table, the elapsed request time entry associated with one of the agents that have supplied store assignment requests, the elapsed

-17-

request time entry providing an indication of time since a first assignment request from the agent.